

EFCO Form Guard

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|--------------|-----------------|
| Product Form | Mixture |
| Trade Name | EFCO Form Guard |
| Product Code | EFG |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Industrial. For professional use only.

1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE, INC.
1444 SOUTH 20TH STREET
OMAHA, NE 68108
Tel: 402-341-2080
Fax: 402-341-9752
E-Mail: corporate@nox-crete.com
Web Site: www.nox-crete.com

Supplier

EFCO CORP
1800 NE BROADWAY
DES MOINES, IA 50313
Tel: 515-266-1141
Fax: 515-313-4428

www.efcoforms.com

1.4 Emergency telephone number

Emergency Number

Chemtrec (800) 424-9300
Chemtrec Outside of U.S. 703-527-3887

Section 2. Hazards identification

2.1 Classification of the substance or mixture

| | |
|---|---------------------------|
| H227 - Combustible liquid | Flam Liq. 4 |
| H302 - Harmful if swallowed | Acute Tox. 4 (oral) |
| H304 - May be fatal if swallowed and enters airways | Asp. Tox. 1 |
| H315 - Causes skin irritation | Skin Irrit. 2 |
| H319 - Causes serious eye irritation | Eye Irrit. 2 |
| H332 - Harmful if inhaled | Acute Tox. 4 (inhalation) |
| H336 - May cause drowsiness or dizziness | STOT SE 3 drowsiness |

Full text of H phrases see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H227 - Combustible liquid
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation

EFCO Form Guard**Safety Data Sheet**According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H336 - May cause drowsiness or dizziness

Precautionary statements**Prevention:**

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 - Wash exposed skin thoroughly after handling
 P271 - Use only outdoors or in a well-ventilated area
 P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response:

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 P331 - Do NOT induce vomiting
 P332+P313 - If skin irritation occurs: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse.
 P337+P313 - If eye irritation persists: Get medical advice/attention
 P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction
 P403+P235 - Store in a well-ventilated place. Keep cool.
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Storage:**Disposal:****2.3 Other hazards**

None known

Full text of H and P phrases: see section 16

Section 3. Composition / information on ingredients**3.1 Substances**

Not applicable

3.2 Mixture

| Name | Product identifier | % |
|-------------------------------------|--------------------|--------------|
| Petroleum Distillates, Hydrotreated | Trade Secret | Trade Secret |
| Rust Inhibitor | Trade Secret | Trade Secret |

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration is being withheld as Trade Secret, while all health and safety properties and effects are included in the SDS.

Section 4. First aid measures

4.1 Description of first aid measures**First-aid measures general**

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

First-aid measures after skin contact

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, acute and delayed**Symptoms/injuries after inhalation**

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

Symptoms/injuries after eye contact

May cause eye irritation or injury

Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials.

Dry chemical, foam, carbon dioxide

Unsuitable extinguishing media

Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture**Reactivity**

Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters**Firefighting instructions**

Combustible Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.

Protective equipment for firefighters

Firefighters should wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

Section 6. Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****General measures**

Eliminate any ignition sources. Dike or impound spilled material. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup.

6.11 Protective Equipment

Equip cleanup crew with proper protective equipment.

6.2 Environmental precautions

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

6.3 Methods and materials for containment and cleaning up**Methods for cleaning up**

Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

Hygiene measures

Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in accordance with local regulations. Store in original container in a cool well-ventilated place. Keep containers tightly closed until ready for use.

Incompatible materials

Strong acids, alkalis and oxidizing agents

Storage temperature

Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

| Ingredient name | Occupational exposure limits ACGIH TLV (United States) |
|-------------------------------------|---|
| Petroleum Distillates, Hydrotreated | TWA: 5 mg/m ³ 8 hours as mist |

8.2 Exposure controls

Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations below specified TLV.

Eye and face protection

Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.

Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|----------------------------|
| Appearance | Clear to pale straw liquid |
| Odor | Mild |
| Odor Threshold | No data available |
| PH | No data available |
| Melting point | No data available |
| Freezing point | No data available |
| Boiling point | 150 C (300 F) |
| Flash point | 62 C (144 F) |
| Relative evaporation rate (butyl acetate=1) | No data available |
| Flammability (solid, gas) | No data available |
| Upper/lower explosive limits | No data available |
| Vapor pressure | No data available |
| Vapor density | No data available |

EFCO Form Guard**Safety Data Sheet**According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

| | |
|---------------------------------------|--------------------------------------|
| Relative density (Specific gravity) | 0.84 Kg per Liter 7.0 Lbs per Gallon |
| Solubility | Water: Negligible |
| Non-volatile, Wt % | 31 Maximum |
| Partition coefficient n-octanol/water | No data available |
| Auto-ignition temperature | Not applicable |
| Viscosity | No data available |
| VOC content | Less than 600 grams per liter |

Section 10. Stability and reactivity

| | |
|--|--|
| 10.1 Reactivity | No additional information available |
| 10.2 Chemical stability | Stable under normal conditions |
| 10.3 Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| 10.4 Conditions to avoid | Extreme high or low temperatures. |
| 10.5 Incompatible materials | Strong acids, alkalies and oxidizers |
| 10.6 Hazardous decomposition products | Aldehydes, Oxides of calcium, carbon and sulfur. |

Section 11. Toxicology information**11.1 Information on toxicological effects**

| | | |
|-----------------------------------|-------------------|--|
| Acute toxicity | Oral | Harmful if swallowed. |
| | Inhalation | Harmful if inhaled. |
| Irritation/Corrosion | Skin | May cause skin irritation |
| | Eyes | May causes serious eye irritation and damage. |
| Respiration or skin sensitization | | May cause respiratory irritation |
| Germ cell mutagenicity | | No data available |
| Carcinogenicity | | No component of this product present at levels greater than 0.1 % is identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on Research on Cancer (IARC) |
| Reproductive toxicity | | No data available |
| Specific target organ toxicity | | |
| | Single exposure | No data available |
| | Repeated exposure | No data available |
| Aspiration hazard | | May be fatal if swallowed and enters airways |

Section 12. Ecological information

| | |
|---|-------------------------------------|
| 12.1 Ecotoxicity | Not established |
| 12.2 Persistence and degradability | Not established |
| 12.3 Bioaccumulative potential | Not established |
| 12.4 Mobility in soil | No additional information available |
| 12.5 Other adverse effects | Avoid release to the environment |

SECTION 13. Disposal Considerations

| | |
|-------------------------------------|--|
| 13.1 Waste treatment methods | The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. |
|-------------------------------------|--|

SECTION 14. Transport information

EFCO Form Guard**Safety Data Sheet**According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)**14.1 UN number**

Under 119 US gallons, single container

Not dangerous goods in sense of transport regulations.

Over 119 US gallons, single container

UN1268

14.2 UN proper shipping name

Petroleum Distillates, N.O.S.

14.3 Transport hazard class(es)

Under 119 US gallons, single container

Not applicable

Over 119 US gallons, single container

3

14.4 Packing group

Under 119 US gallons, single container

Not applicable

Over 119 US gallons, single container

PG III

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

No additional information available

14.6 Special precautions for user**14.7 Transport in bulk according to****Annex II of MARPOL 73/78 and the IBC Code** No additional information available**14.8 Transport in bulk according to**

CFR 49 173.15

Not applicable

SECTION 15. Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2 USA Regulations**

Section 112(b) HAPs

None Listed

Section 313

Contains no ingredients at or above the De Minimus reporting level

TSCA

All ingredients are listed or exempted

PROPOSITION 65**WARNING:** This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.**15.1.3 Canada Regulations**This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR.**DSL**

All ingredients are listed or exempted

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue

4-23-2020

Version

2.4

Number

916

Date of previous issue

11-16-2019

Preparer

Nox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc's knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most

EFCO Form Guard

Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

| | |
|---|---------------------------|
| H227 - Combustible liquid | Flam Liq. 4 |
| H302 - Harmful if swallowed | Acute Tox. 4 (oral) |
| H304 - May be fatal if swallowed and enters airways | Asp. Tox. 1 |
| H315 - Causes skin irritation | Skin Irrit. 2 |
| H319 - Causes serious eye irritation | Eye Irrit. 2 |
| H332 - Harmful if inhaled | Acute Tox. 4 (inhalation) |
| H336 - May cause drowsiness or dizziness | STOT SE 3 drowsiness |

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash exposed skin thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
P331 - Do NOT induce vomiting
P332+P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse.
P337+P313 - If eye irritation persists: Get medical advice/attention
P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.